



 E-Scooters
VOLTWINGS
CATALOGUE

LEO




SPECIFICATIONS

Motor	BLDC Hub Motor
Controller	12 Tube
Speed	Economy - 25
Charger Specifications	Micro Charge With Auto Cut System
Range/Charge	50 km to 140 km - depends on battery
Charging Time	3 to 4 Hrs in lithium / 6-8 hrs on led-acid
Front Suspension	Front - Telescopic
Brake System	Front Disk, Rear Drum Brake
Rear Suspension	Double Shocker
Seat Height	774 mm
Ground Clearance	170 mm
Dimension (LxWxH)	1970x745x1150
Key Feature	Central Locking, Front & Rear Motion
Loading Capacity	150 K.g
Head Light	LED Light with Drl
Tyre	Front 90x90x12, Rear 3.10 Tubeless
Back Light	Unique Design LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion



Front Disk Brake

BLDC HUB MOTOR



12" Tyre

IN COLOURS AVAILABLE



RAFTAAR



SPECIFICATIONS


Motor
Controller
Speed
Charger Specifications
Range/Charge
Charging Time
Front Suspension
Brake System
Rear Suspension
Seat Height
Ground Clearance
Dimension (LxWxH)
Key Feature
Loading Capacity
Head Light
Tyre
Back Light
Speedometer
Battery

BLDC Hub Motor
12 Tube
Economy - 25
Micro Charge With Auto Cut System
50 km to 140 km - depends on battery
3 to 4 Hrs in lithium / 6-8 hrs on led-acid
Front - Telescopic
Front Disk, Rear Drum Brake
Double Shocker
774 mm
170 mm
1970x745x1150
Central Locking, Front & Rear Motion
150 K.g
LED Light with Drl
Front 90x90x12, Rear 3.10 Tubeless
Unique Design LED
Digital
Lead Acid/Lithium Ion



Front Disk Brake

BLDC HUB MOTOR



12" Tyre

IN COLOURS AVAILABLE



ACTIVE +




SPECIFICATIONS

Motor	BLDC Hub Motor
Controller	12 Tube
Speed	Economy - 25
Charger Specifications	Micro Charge With Auto Cut System
Range/Charge	50 km to 140 km - depends on battery
Charging Time	3 to 4 Hrs in lithium / 6-8 hrs on led-acid
Front Suspension	Front - Telescopic
Brake System	Front Disk, Rear Disk
Rear Suspension	Double Shocker
Seat Height	774 mm
Ground Clearance	170 mm
Dimension (LxWxH)	1970x745x1150
Key Feature	Central Locking, Front & Rear Motion
Loading Capacity	150 K.g
Head Light	LED Light with Drl
Tyre	90x90x12 Tubeless
Back Light	Unique Design LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion



Dual
Disk Brake

BLDC HUB
MOTOR



12"
Tyre

IN COLOURS
AVAILABLE



ACTIVE PRO




SPECIFICATIONS

Motor	BLDC Hub Motor
Controller	12 Tube
Speed	Economy - 25
Charger Specifications	Micro Charge With Auto Cut System
Range/Charge	50 km to 140 km - depends on battery
Charging Time	3 to 4 Hrs in lithium / 6-8 hrs on led-acid
Front Suspension	Front - Telescopic
Brake System	Front Disk, Rear Disk
Rear Suspension	Double Shocker
Seat Height	774 mm
Ground Clearance	170 mm
Dimension (LxWxH)	1970x745x1150
Key Feature	Central Locking, Front & Rear Motion
Loading Capacity	150 K.g
Head Light	LED Light with Drl
Tyre	90x90x12 Tubeless
Back Light	Unique Design LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion



Dual
Disk Brake



BLDC HUB
MOTOR



12"
Tyre

IN COLOURS
AVAILABLE



PANTHER




SPECIFICATIONS

Motor	BLDC Hub Motor
Controller	12 Tube
Speed	Economy - 25
Charger Specifications	Micro Charge With Auto Cut System
Range/Charge	50 km to 140 km - depends on battery
Charging Time	3 to 4 Hrs in lithium / 6-8 hrs on led-acid
Front Suspension	Front - Telescopic
Brake System	Front Disk, Rear Disk
Rear Suspension	Double Shocker
Seat Height	774 mm
Ground Clearance	170 mm
Dimension (LxWxH)	1970x745x1150
Key Feature	Central Locking, Front & Rear Motion
Loading Capacity	150 K.g
Head Light	LED Light with Drl
Tyre	90x90x12 Tubeless
Back Light	Unique Design LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion



Dual
Disk Brake



BLDC HUB
MOTOR



12"
Tyre



IN COLOURS
AVAILABLE



FALCON




SPECIFICATIONS

Motor	BLDC Hub Motor
Controller	12 Tube
Speed	Economy - 25
Charger Specifications	Micro Charge With Auto Cut System
Range/Charge	50 km to 140 km - depends on battery
Charging Time	3 to 4 Hrs in lithium / 6-8 hrs on led-acid
Front Suspension	Front - Telescopic
Brake System	Front Disk, Rear Disk
Rear Suspension	Double Shocker
Seat Height	774 mm
Ground Clearance	170 mm
Dimension (LxWxH)	1970x745x1150
Key Feature	Central Locking, Front & Rear Motion
Loading Capacity	150 K.g
Head Light	LED Light with Drl
Tyre	90x90x12 Tubeless
Back Light	Unique Design LED
Speedometer	Digital
Battery	Lead Acid/Lithium Ion



Dual
Disk Brake




BLDC HUB
MOTOR



12"
Tyre

IN COLOURS
AVAILABLE





VOLTRWINGSTM
ev PVT. LTD.

PH: +91 7404096078

EMAIL: info@voltwingsev.com

WEBSITE: www.voltwingsev.com

ADD: H-87, Industrial Area, Ghiloth, Kotputli
Behror, Rajasthan – 301705